

Comfort Endurance Sleeves

Comfort Endurance Suspension Sleeves are made of a higher grade neoprene than most of the neoprene suspension sleeves available on the market. It is very easy to distinguish the higher quality when you take time to feel an Endurance suspension sleeve and compare it to others. It has a much smoother feel, and is a much tougher and more durable neoprene material than others. Endurance sleeves also have a rugged outer nylon cover. Every Endurance suspension sleeve is manufactured using an intensive blind stitching and gluing process that greatly reduces seam failure. With three styles and two stock colors available, there is an Endurance sleeve that is right for everybody! Custom colors are also available for an additional charge.

When only the best will do,
trust Comfort Endurance Suspension Sleeves!

Comfort Endurance CRITERION

The CRITERION features a smooth skin lining that gives superior comfort against the skin and reduces the chance for popliteal bunching. For patients without strenuous activity levels, the CRITERION is an excellent choice for comfort and durability. For highly active patients, try the Endurance SPORT. For geriatric patients, try the Endurance ZipSleeve.

Comfort Endurance SPORT

The SPORT has all of the features of the CRITERION with the added benefit of a nylon lined center section to reduce abrasion. This design allows the sleeve to give excellent suspension in even the most demanding of conditions. For patients with less active lifestyles, try the Endurance CRITERION. For geriatric patients, try the Endurance ZipSleeve.

Size

Circumference

Length

Black Part Numbers

Beige Part Numbers

Inches

Centimeters

IN

CM

Criterion

Sport

ZipSleeve

Criterion

Sport

ZipSleeve

00

9 - 10

23.0 - 25.5

15

38

SUC00
SUS00
SUZ00
SUCB00
SUSB00
SUZB00

0
10 1/2 - 12
26.6 - 30.5
15
38
SUC0
SUS0
SUZ0
SUCB0
SUSB0
SUZB0

1
12 1/2 - 14
31.7 - 35.5
15
38
SUC1
SUS1
SUZ1
SUCB1
SUSB1
SUZB1

1.5
13 1/2 - 15
34.2 - 38.1
15
38
SUC15
SUS15
SUZ15
SUCB15
SUSB15
SUZB15

2
14 1/2 - 16
36.8 - 40.6
15
38
SUC2
SUS2
SUZ2
SUCB2
SUSB2
SUZB2

2.5
15 1/2 - 17
39.4 - 43.2
15
38

SUC25
SUS25
SUZ25
SUCB25
SUSB25
SUZB25

3
16 1/2 - 18
41.9 - 45.7
15
38
SUC3
SUS3
SUZ3
SUCB3
SUSB3
SUZB3

4
18 1/2 - 20
47.0 - 50.8
15
38
SUC4
SUS4
SUZ4
SUCB4
SUSB4
SUZB4

5
20 1/2 - 22
52.2 - 55.9
15
38
SUC5
SUS5
SUZ5
SUCB5
SUSB5
SUZB5